

## Boosting Power Quality: Proven Strategies for Harmonic Mitigation in Electrical Power Systems

Pooja Yadav, Raveena Tiwari, Dinesh Kumar Javalkar, Dr. Namrata Bansal

UG student, UG student, Head of department, Asst. prof.

LINGAYA'S VIDYAPEETH, Nachauli, Jasana Road, Old Faridabad, Haryana

### Abstract

**Introduction:** The growing presence of nonlinear loads and power electronic components in today's electrical grids has significantly intensified harmonic distortion, creating serious concerns for power quality, system dependability, and operational performance. This review paper offers a thorough examination of the sources, consequences, and mitigation methods related to harmonics in power systems. It starts by identifying major contributors to harmonic generation—such as variable frequency drives, inverter-based technologies, and distributed energy resources—and explains their negative impacts on equipment efficiency, system stability, and the coordination of protective mechanisms.

The paper then delves into both conventional and advanced harmonic mitigation methods, consisting of active power filters (APFs), passive filters, hybrid systems, and modern control methods like virtual impedance and droop control. It emphasizes the growing role of smart grid infrastructure and artificial intelligence in enabling real-time harmonic detection, adaptive filtering, and predictive maintenance. Additionally, it explores recent innovations in Flexible AC Transmission Systems (FACTS) and IoT-based solutions, highlighting their potential in shaping the future of harmonic management.

**Objectives:** The primary objective is to explore and evaluate established and emerging strategies for reducing harmonic content in electrical systems. The methodology involves a systematic review of literature, technical reports, and case studies focusing on various mitigation methods, consisting of active power filters (APFs), passive filters, hybrid configurations, and advanced control algorithms.

**Methods:** A comprehensive literature review was conducted, covering academic research, industrial case studies, and technical standards. The paper categorizes mitigation methods, consisting of active power filters (APFs), passive filters, hybrid filters, and advanced control-based solutions. Each method is evaluated based on its design principles, operational characteristics, and suitability for different system conditions.

**Results:** The analysis reveals that passive filters are effective for fixed-frequency harmonics and are cost-efficient, but they lack adaptability. Active power filters offer dynamic compensation and are suitable for varying load conditions, though they require complex control systems and higher investment. Hybrid filters combine the strengths of both passive and active approaches, providing a balanced solution. Emerging technologies, such as smart grid-based harmonic control and AI-driven optimization, show promising results in real-time harmonic suppression and system adaptability.

**Conclusions:** Harmonic mitigation is vital for sustaining high power quality in modern electrical systems. Choosing the right strategy depends on different factors such as system size, load variability, cost constraints, and desired performance. This review provides a structured understanding of available techniques, helping engineers and researchers make informed decisions to improve power system reliability and efficiency.

**Keywords:** Total Harmonic Distortion (THD), Variable Frequency Drives (VFDs), Uninterrupted Power Supply (UPS), Active Power Filters (APFs), Active Filters, Passive Filters & Hybrid Filters

### 1. Introduction

The advancement of today's electrical power systems has resulted in a significant growth in the usage of nonlinear and electronically controlled

equipment. While these innovations have boosted energy efficiency & supported the integration of renewable energy sources, they have also

introduced new challenges— especially in maintaining the power quality. A key concern is harmonic distortion, which occurs when voltage or current waveforms contain frequencies that are integer multiples of the fundamental frequency. The presence of harmonics can result in various operational issues, including excessive heating of equipment, incorrect functioning of protective devices, increased energy losses, and a decrease in the overall life of system components.

The increasing adoption of nonlinear equipment— such as variable frequency drives (VFDs), uninterruptible power supplies (UPS), and inverter-based distributed generation— has led to widespread harmonic distortion across industrial, commercial, and residential power systems. As these systems evolve toward more decentralized and digitally managed architectures, the importance of implementing robust harmonic mitigation techniques continues to grow. These measures are vital for preserving system performance, ensuring operational reliability, and adhering to global standards like IEEE 519 and IEC 61000.

This review paper presents an in-depth examination of the origins and result of harmonic distortion in power systems, along with best effective methods currently used to locate it. It covers both conventional solutions—such as passive and active filters— and innovative approaches that incorporate smart grid infrastructure, artificial intelligence, and real-time monitoring technologies. Drawing on earlier academic research and actual case studies, the paper highlights current trends in harmonic mitigation and proposes future pathways for developing scalable, intelligent strategies to enhance power quality.

## 2. Objectives

The objective of this review paper is to comprehensively analyse and synthesize existing strategies for mitigating harmonics in electrical power systems, with a focus on enhancing overall power quality. It aims to:

1. Identify and classify the sources and impacts of harmonic distortion in modern electrical networks.

2. Evaluate the impact of various mitigation methods, including passive, active, and hybrid filtering methods.
3. Highlight advancements in control algorithms, power electronics, and smart grid technologies that contribute to harmonic reduction.
4. Provide comparative insights into the performance, cost-efficiency, and scalability of different approaches.
5. Offer recommendations for selecting appropriate mitigation strategies based on system requirements and operational constraints.

## 3. Methods

As harmonic distortion continues to challenge the stability and efficiency of modern power systems, a wide range of mitigation techniques have been developed to address both sources and effects of harmonics. These techniques can be broadly categorized into passive, active, hybrid, and advanced control strategies. The selection of an appropriate method depends on factors such as system configuration, load variability, cost constraints, and the level of harmonic distortion present.

### 3.1 Passive Filters

Passive filters have long been a fundamental approach to reducing harmonics. They are built using inductors (L), capacitors (C), and resistors (R), arranged to target and suppress specific harmonic frequencies.

**Design:** Typically configured as single-tuned or high-pass filters, they are deployed in parallel with the load to divert harmonic currents.

**Advantages:** Cost-effective, simple to design and implement, and require no external power source.

**Limitations:** Fixed compensation characteristics, risk of resonance with the power system, and reduced effectiveness under varying load conditions.

Recent research has aimed to improve power density and alignment tolerance. For example, Zhang et al. (2020) proposed a multi-coil structure with adaptive tuning circuits to maintain efficiency under misalignment.

### 3.2 Active Power Filters (APFs)

Active Power Filters are advanced systems that dynamically produce counter currents to neutralize harmonics caused by nonlinear electrical loads.

**Types:**

**Shunt APFs:** They are installed in parallel with the load and work by offsetting current harmonics

**Series APFs:** Connected in series and mitigate voltage harmonics.

**Benefits:** Real-time harmonic compensation, adaptability to changing load conditions, and capability to correct power factors and unbalance.

**Challenges:** Higher cost, complexity in control algorithms, and the need for continuous power supply.

### 3.3 Hybrid Filters

Hybrid filters integrate passive and active components to leverage the strengths of both approaches. Typically, a passive filter handles lower-order harmonics while an active filter compensates for higher-order and dynamic harmonics.

- **Advantages:** Improved performance over a wider frequency range, reduced cost compared to standalone APFs, and enhanced system stability.

- **Applications:** Widely used in industrial plants, renewable energy systems, and microgrids where harmonic profiles are complex and variable

### 3.4 Advanced Control Strategies

With the rise of smart grids and distributed energy resources, advanced control strategies have emerged to enhance harmonic mitigation.

- **Virtual Impedance Control:** Simulates impedance characteristics to manage harmonic sharing among multiple inverters in microgrids.
- **Droop Control with Harmonic Compensation:** Maintains voltage and frequency stability while mitigating harmonics in islanded or weak grid conditions.
- **Model Predictive Control (MPC) and Fuzzy Logic Controllers:** Offer adaptive and intelligent harmonic suppression by predicting system behaviour and adjusting filter responses accordingly.

### 3.5 Emerging Technologies

Recent studies have highlighted the integration of AI and machine learning for predictive harmonic analysis and adaptive filtering. Additionally, Flexible AC Transmission Systems (FACTS) such as STATCOMs and SVCs are being deployed for dynamic voltage and harmonic control in transmission networks.

### 3.6 Comparative Analysis

Technique	THD Reduction	Cost
Passive Filters	Moderate	Low
Active Filters	High	High
Hybrid Filters	Very High	Medium
Phase-Shifting Transformers	High (for specific orders)	Medium
SHE	High (for low order)	Medium

## 6. Results

Harmonic distortion has emerged as a critical challenge in modern electrical power systems, driven by the universal adoption of nonlinear loads, power electronic converters, and inverter-based renewable energy sources. As power systems evolve toward greater decentralization and digitalization, the need for robust, adaptive, and intelligent harmonic mitigation strategies becomes increasingly urgent.

This review has explored the fundamental sources and adverse effects of harmonics, highlighting their impact on equipment performance, system reliability, and power quality. It has also examined a wide spectrum of mitigation techniques—from traditional passive & active filters to hybrid systems and advanced control methods. The integration of smart grid technologies, artificial intelligence, and real-time monitoring platforms represents a significant advancement in the field, enabling more precise and dynamic harmonic control.

Simulation results and real-world case studies highlight the practical success of various harmonic mitigation strategies across diverse settings,

including microgrids, industrial operations, and large-scale utility systems. These examples emphasize the necessity of tailoring solutions to specific operational contexts and illustrate the increasing importance of intelligent technologies in meeting global standards like IEEE 519 & IEC 61000.

Looking forward, future research should aim to create solutions that are scalable, affordable, and capable to accommodate the evolving demands of modern power systems. There is also a need to align regulatory standards, strengthen real-time monitoring and compliance tools, and encourage collaboration among utilities, technology providers, and the research community to ensure a robust and high-quality electricity supply.

## 7. Discussion

Harmonic mitigation strategies are rapidly advancing due to the growing complexity of advanced power systems, the rise of renewable energy integration, and the widespread use of digital technologies

. Traditional mitigation methods, while still relevant, are being complemented and, in some cases, replaced by more intelligent, adaptive, and scalable solutions. This section explores the most significant emerging trends shaping the future of harmonic control.

### 7.1 Smart Grid Integration

Smart grids represent a paradigm shift in how power systems are monitored, controlled, and optimized. They incorporate advanced communication technologies, real-time data analytics, and decentralized control mechanisms to enhance system reliability and efficiency.

- **Real-Time Monitoring & Control:** Smart meters and phasor measurement units (PMUs) enable continuous monitoring of harmonic levels across the grid. This data is used to dynamically adjust mitigation strategies and prevent resonance or overload conditions.

- **IoT and Cloud-Based Platforms:** Internet of Things (IoT) devices collect granular data on power quality, which is then processed using cloud computing to identify trends, predict disturbances, and recommend corrective actions.

- **FACTS Devices:** Flexible AC Transmission Systems such as Static VAR Compensators (SVCs) & Static synchronous Compensators (STATCOMs) are increasingly deployed to provide dynamic voltage support and harmonic filtering in transmission and distribution networks.

### 7.2 Artificial Intelligence and Machine Learning

AI and machine learning (ML) transforming harmonic mitigation by enabling predictive, adaptive, and self-learning control systems.

- **Predictive Maintenance:** ML procedures analyse past and real-time data to forecast equipment failures due to harmonic stress, allowing for proactive maintenance and reduced downtime.

- **Adaptive Filtering:** AI-driven controllers adjust filter parameters in real time based on load conditions and harmonic profiles, ensuring optimal performance under varying scenarios.

- **Anomaly Detection:** Deep learning models can detect unusual harmonic patterns that may indicate faults, cyber threats, or equipment malfunctions.

### 7.3 Integration with Renewable Energy Systems

As inverter-based renewable energy sources become more prevalent, their interaction with the grid introduces new harmonic challenges. Emerging solutions focus on:

- **Grid-Forming Inverters:** These inverters can operate autonomously and provide voltage and frequency support while minimizing harmonic emissions.

- **Harmonic Sharing in Microgrids:** Advanced control strategies such as virtual impedance and drop control are used to distribute harmonic compensation responsibilities among multiple distributed energy resources (DERs).

### 7.4 Regulatory and Standardization Developments

Regulatory bodies are updating standards to reflect the realities of modern power systems. There is a growing emphasis on:

- **Dynamic Compliance:** Standards are evolving to include real-time compliance monitoring and adaptive thresholds based on system conditions.

• **Harmonic Emission Allocation:** New frameworks are being proposed to fairly allocate harmonic responsibility among multiple users in interconnected networks.

## 8. References

1. IEEE Standard 519-2014, IEEE Recommended Practices and Requirements for Harmonic Control in Electrical Power Systems
2. IEC 61000-4-7:2002, Electromagnetic Compatibility – Testing and Measurement Techniques.
3. Singh, B., Al-Haddad, K., & Chandra, A. (1999). A review of active filters for power quality improvement. *IEEE Transactions on Industrial Electronics*, 46(5), 960–971.
4. Akagi, H. (1996). New trends in active filters for power conditioning. *IEEE Transactions on Industry Applications*, 32(6), 1312–1322.
5. Bollen, M. H. J. (2000). *Understanding Power Quality Problems: Voltage Sags and Interruptions*. IEEE Press.
6. Faria da Silva, F., Liu, C., Christensen, K., et al. (2022). Propagation of harmonics in electrical grids: a review of selected issues. *Electrical Engineering*, 104, 2819–282.
7. Springer's *Electrical Engineering Journal*, April 2025 issue – Special focus on harmonic mitigation and smart grid integration.
8. *Lecture Notes in Electrical Engineering (LNEE)*, 2024–2025 volumes – Proceedings on AI-based harmonic filtering and FACTS applications.
9. Mishra, R. A., Srivastava, V. K., et al. (2025). *Advances in VLSI, Communication, and Signal Processing*. Springer LNEE.
10. Rao, R. V., Taler, J., & Taler, D. (2025). *Advanced Engineering Optimization Through Intelligent Techniques*. Springer LNEE.
11. Wong, T. K. S., & Kappala, V. K. (2025). *6G Communications Networking and Signal Processing*. Springer LNEE.
12. IEEE PES Technical Report (2023). *Harmonic Emission Allocation in Distributed Energy Systems*.
13. Zhang, Y., & Wang, X. (2023). *AI-enhanced harmonic detection in smart grids*. *Electrical Power and Energy Systems*, Elsevier.
14. Kumar, A., & Singh, R. (2024). Hybrid filter design for industrial harmonic mitigation. *International Journal of Electrical Power & Energy Systems*.
15. Chen, L., & Zhao, H. (2023). Real-time harmonic monitoring using IoT and edge computing. *IEEE Access*.
16. Patel, D., & Mehta, P. (2024). *FACTS-based harmonic control in wind-integrated grids*. Springer Electrical Engineering.
17. Sharma, N., & Gupta, V. (2023). Droop control strategies for harmonic sharing in microgrids. *IEEE Transactions on Smart Grid*.
18. Li, J., & Huang, Y. (2022). Virtual impedance control for inverter-based resources. *Journal of Modern Power Systems and Clean Energy*.
19. IEEE Smart Grid Newsletter (2023). Trends in harmonic mitigation for decentralized energy systems.
20. Springer Nature (2024). *Smart Grid Technologies for Power Quality Enhancement*. Book chapter in LNEE